

HEALTHCARE	20mil FX2
Cafeterias/Dining	R
Chapels	HR
Corridors	R
Critical/Intensive Care	NR
Delivery Rooms (Maternity Wards)	NR
Dialysis	R
Elevators	NR
Emergency Room Areas	NR
Exam/Procedure Rooms	HR(1)
Gift Shops	HR
Hyperbaric Rooms	NR
Lobbies	R
Nurses Stations	R
Offices/Administrative/Conference Rooms	HR
Operating Rooms	NR
Patient Rooms	R
Patient Rooms - Restrooms (within)	R
Pharmacies	HR
Physical/Occupational Therapy (Dry)	R(4)
Physical/Occupational Therapy (Wet)	NR
Ramps/Ramped Corridors (Dry)	NR
Restrooms (Public)	NR
Scrub Areas	NR
Speech Therapy	HR
Stairways/Landings	NR
Staff Lounges	HR
Testing Areas (MRI, CAT-Scan, X-Ray, etc.)	R(1)
Utility/Storage Rooms/Filing	HR
Waiting Rooms	HR

TRANSPORTATION & PUBLIC SPACES	20mil FX2
Airports/Railway Stations/Bus Terminals	NR
Boutique Art Galleries	HR
Civic/Convention Centers	NR
Museums/Cultural Centers	NR
Planes, Trains, Boats, & Yachts	NR
RVs, Campers, Trailers, & Mobile Homes	NR

EDUCATIONAL / INSTITUTIONAL	20mil FX2
Auditoriums	R
Cafeterias/Dining	R
Classrooms/Lecture Halls	HR
Computer Labs	HR(1)
Corridors	R
Dormitory Rooms	HR
Food Service Areas	HR(2)
Gymnasiums	NR
Laboratories	HR
Libraries	HR
Locker Rooms (No Spikes/No Wet Areas)	NR
Multipurpose Rooms/Cafeteriums	R
Offices/Administrative/Conference Rooms	HR
Physical/Occupational Therapy	HR(4)
Ramps/Ramped Corridors (Dry)	NR
Restrooms	NR
Showers/Shower Rooms	NR
Stairways/Landings	NR
Teachers' Lounges	HR
Utility/Storage Areas	HR
Vestibules/Entryways/Foyers	R

HOSPITALITY	20mil FX2
Around Whirlpools/Spas	NR
Casino Floors (Tables/Slots)	R
Corridors	HR
Dance Halls/Night Clubs (Dance Floors)	R
Dining Rooms	R
Elevators	NR
Exercise Rooms	R(5)
Guest Bathrooms	HR
Guest Rooms	HR
Lobbies	HR
Lounges	HR
Stairways/Landings	NR
Vending Areas	R

LIGHT INDUSTRIAL	20mil FX2
Clean Rooms	NR
Computer Repair Labs	NR
Electronic Testing Labs	NR
Electronics Manufacturing	NR
Environmental Conditions Units	R
Photo Processing	R
Production Laboratories	R
Research Laboratories	R
Small Parts Assemblies	NR
Sterile Packaging	NR
Warehouses	NR

CORPORATE / OFFICE	20mil FX2
Computer Rooms	HR(1)
Copier Rooms	HR
Corridors	HR
Elevators	NR
Lobbies	HR
Lunchrooms	HR
Offices/Conference Rooms	HR
Restrooms	NR
Stairways/Landings	NR
Utility/Storage Rooms	HR

RETAIL / SALES	20mil FX2
Automobile Showrooms	NR
Checkout/Cash Wraps	R
Dept. Stores/Mass Merchants (Vignettes)	HR
Dept. Stores/Mass Merchants (Other Areas)	R
Food Service Areas	HR(2)
Grocery Stores	NR
Indoor Mall Common Areas	NR
Specialty Shops/Areas	HR

ASSISTED LIVING / MILITARY HOUSING / LIGHT COMMERCIAL	20mil FX2
Activity Rooms/Common Areas	HR
Beauty Salons/Barber Shops - Work Areas	R(3)
Corridors	HR
Daycare Areas	HR
Dining Areas	R
Doctor/Dentist Offices (Examination Rooms)	HR
Doctor/Dentist Offices (Reception)	HR
Lobbies	HR
Physical Therapy (Dry)	HR(4)
Residence Bathrooms	HR
Residence Kitchens	HR
Residence Rooms/Barracks	HR

NOTES

- (1) Not recommended for sensitive areas requiring conductive or dissipative flooring
- (2) Not recommended for commercial kitchen areas or food preparation areas
- (3) Use only non-urethane products in Beauty Salons/Barber Shops that dye/color
- (4) Use protective mats underneath Physical Therapy equipment
- (5) Use protective mats underneath Exercise equipment; refrain from dropping free weights on flooring

KEY

HR = Highly Recommended
R = Recommended
NR = Not Recommended